

L Number	Hits	Search Text	DB	Time stamp
34	1	349/153 and (voltage adj holding adj ratio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:09
35	5	349/153 and (specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:13
36	11	349/153 and (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:26
37	6	349/153 and (dropping adj method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:17
38	0	(349/153 and (specific adj resistance)) and (349/153 and (phase adj transition adj temperature)) and (349/153 and (dropping adj method))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:17
39	0	349/153 and ((phase adj transition adj temperature) near10 (change or difference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:28
40	9	349/153 and ((reduction or reduce) near10 weight)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:29
-	65	kojima-kazuyuki.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:16
-	0	seal near10 (photosetting adj component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:38
-	3	seal near10 (photosetting adj material)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:39
-	87	seal near10 (photosetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:39
-	6	seal near (photosetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:40
-	1334	seal near10 (thermosetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:41
-	398	(liquid adj crystal) near10 (specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 16:49

-	594	((liquid adj crystal) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 16:45
-	13	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 16:50
-	22	(seal near10 (photosetting)) and (seal near10 (thermosetting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 16:46
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature)) and ((seal near10 (photosetting)) and (seal near10 (thermosetting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 16:46
-	0	(liquid adj crystal) near10 (specific adj resistance) near10 (percent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 16:50
-	1517	seal near10 (thermoset\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:19
-	87	seal near10 (photoset\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:20
-	4	seal near10 (photoset\$6 adj (agent or material))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:22
-	1	(seal near10 (thermoset\$6)) and (seal near10 (photoset\$6)) and (seal near10 (photoset\$6 adj (agent or material)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:22
-	22	(seal near10 (thermoset\$6)) and (seal near10 (photoset\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:25
-	19	(liquid adj crystal) near10 (dropping adj method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:54
-	0	EP adj Resin adj KR-02	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:28
-	0	EY adj Resin adj KR-02	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:28
-	32	seal near10 (photoinitiator or photo-initiator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:29

-	0	((seal near10 (thermoset\$6)) and (seal near10 (photoset\$6))) and ((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (photoinitiator or photo-initiator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:30
-	0	seal near10 (log or logarithm or natural or ln) near10 (specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:32
-	222	seal near10 (log or logarithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:33
-	14	seal near10 (specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:33
-	0	(seal near10 (log or logarithm)) and (seal near10 (specific adj resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:33
-	0	((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (log or logarithm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:34
-	0	((liquid adj crystal) near10 (dropping adj method)) and (seal near10 (specific adj resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:34
-	14678	(liquid adj crystal) near10 seal\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:37
-	1	(seal near10 (log or logarithm)) and ((liquid adj crystal) near10 seal\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:37
-	0	(specific adj resistance) near10 reduc\$6 near10 (log or logarithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:40
-	2	(specific adj resistance) near10 reduc\$6 near10 (8%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:41
-	401	(liquid adj crystal) near10 (specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:46
-	13	(specific adj resistance) near10 8%	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:46
-	2	((liquid adj crystal) near10 (specific adj resistance)) and ((specific adj resistance) near10 8%)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/04 16:47

-	602	(liquid adj crystal) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:59
-	13	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:35
-	0	((((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature))) and ((liquid adj crystal) near10 (dropping adj method)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 16:49
-	186	(liquid adj crystal) near10 (friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:24
-	0	(liquid adj crystal) near10 (change adj in) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:00
-	40	(liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:01
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (friction)) and ((liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:01
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (change) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:01
-	0	(phase adj transition adj temperature) near10 (0.5 adj C)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:09
-	9	(phase adj transition adj temperature) near10 (0.5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:11
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((phase adj transition adj temperature) near10 (0.5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:10
-	0	(phase adj transition adj temperature) near10 change near10 (0.5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:11
-	65	kojima-kazuyuki.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:16
-	0	(liquid adj crystal) near10 (friction) near10 8%	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:25

-	8	(liquid adj crystal) near10 outgassing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:25
-	154	(liquid adj crystal) near10 (high adj specific adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:38
-	4	(liquid adj crystal) near10 (low adj phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:43
-	0	((liquid adj crystal) near10 (high adj specific adj resistance)) and ((liquid adj crystal) near10 (low adj phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:37
-	4	((liquid adj crystal) near10 (phase adj transition adj temperature)) and ((liquid adj crystal) near10 (high adj specific adj resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:38
-	0	(liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change adj in)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:44
-	46	(liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:46
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (high adj specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:45
-	0	((liquid adj crystal) near10 (specific adj resistance)) and ((liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:45
-	0	(liquid adj crystal) near10 (phase adj transition adj temperature) near10 (change) near10 0.5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 17:46
-	0	reduction near10 (log or logarithm or exponent) near10 (specific adj resistance) near10 (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 17:58
-	62	(liquid adj crystal) near10 (log or logarithm or exponent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:05
-	1	(liquid adj crystal) near10 (log or logarithm or exponent) near10 ((specific adj resistance) or friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:07
-	1	(liquid adj crystal) near10 (log or logarithm or exponent) near10 (resistance or friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:10

-	165	(liquid adj crystal) near10 ratio near10 (resistance or friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:11
-	46	(liquid adj crystal) near10 ratio near10 ((specific adj resistance) or friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:35
-	59	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:15
-	0	((liquid adj crystal) near10 ratio near10 ((specific adj resistance) or friction)) and ((liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:14
-	0	(liquid adj crystal) near10 ratio near10 ((specific adj resistance) or friction) near10 8%	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:14
-	0	(liquid adj crystal) near10 ratio near10 ((specific adj resistance) or friction) near10 percent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:14
-	0	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 0.5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:15
-	0	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 0.3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:15
-	0	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 0.4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:16
-	0	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 0.2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:16
-	0	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 0.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:17
-	2	(liquid adj crystal) near10 (change or difference) near10 (phase adj transition adj temperature) near10 (small or minimal or low)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:18
-	2	(liquid adj crystal) near10 (low or small or minimal) near10 (change or difference) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:24
-	53	(liquid adj crystal) near10 (low or small or minimal) near10 (phase adj transition adj temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:25

-	2	(liquid adj crystal) near10 (low or small or minimal) near10 (phase adj transition adj temperature) near10 (difference or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:25
-	195	(liquid adj crystal) near10 (voltage adj holding adj ratio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:39
-	1	(liquid adj crystal) near10 (voltage adj holding adj ratio) near10 percent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:37
-	0	(liquid adj crystal) near10 (voltage adj holding adj ratio) near10 (log or logarithm or exponent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:38
-	3	((liquid adj crystal) near10 (low or small or minimal) near10 (phase adj transition adj temperature)) and ((liquid adj crystal) near10 (voltage adj holding adj ratio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:53
-	66	seal near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:56
-	0	seal near10 reduction near10 weight near10 0.05	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:54
-	0	(liquid adj crystal) near10 seal near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:57
-	0	(liquid adj crystal) near10 seal near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:57
-	1	(liquid adj crystals) near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 18:58
-	0	(liquid adj crystal) near10 adhesive near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 19:00
-	0	(liquid adj crystal) near10 bond near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 19:00
-	201	(adhesive or bond) near10 reduction near10 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 19:07
-	13	(adhesive or bond) near10 reduction near10 weight near10 percent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/05 19:02

-	0	(adhesive or bond) near10 reduction near10 weight near10 0.05	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/05 19:08
---	---	--	---	------------------